

University of Groningen

The microporous tracheal prosthesis

Bottema, Jitske Rolina

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

1982

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Bottema, J. R. (1982). *The microporous tracheal prosthesis: A study of the incorporation in rabbits*. [Thesis fully internal (DIV), University of Groningen]. s.n.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

STELLINGEN

1. Het verdient aanbeveling om vitamine E uitsluitend op voorschrift door de arts te verstrekken, gezien de invloed die een ongecontroleerd gebruik bij patiënten met hart- en vaatziekten kan hebben.
2. De toename van het aantal trilhaar-dragende cellen en het ontstaan van langere microvilli in, respectievelijk op het endometrium bij vrouwen in de menopauze, die behandeld worden met oestrogenen, moet niet geduid worden als een verschijnsel van proliferatie maar van differentiatie.
3. Bestrijding van de hypovolemische shock is niet alleen van belang voor de algemene conditie, maar ook voor de wondgenezing.
4. Het verdient aanbeveling de luminale zijde van microporeuze vaatprothesen vóór implantatie in contact te brengen met een endotheel-suspensie.
5. De mening, dat de onbeweeglijkheid van trilharen op het respiratoire slijmvlies bij het syndroom van Karthagener zou berusten op het ontbreken van dyneïne-armen, is onvoldoende onderbouwd en aanvechtbaar.
6. Het systolisch geruis na een operatie voor incompleet defect van het septum atrio-ventriculare is afkomstig van de ganzenek.
7. Met een poriegradiënt in de wand van een tracheaprothese, waarbij de kleine poriën aan de luminale zijde liggen, kan de in- en overgroei van weefsel worden beïnvloed.
8. De uitdrukking "moeder Natuur" is een contradictio in terminis.

9. Protesten van rokende milieu-activisten moeten niet au sérieux worden genomen.
10. Bij het nastreven van gladde haarloze benen als schoonheids-ideaal is menige vrouw te gehaast.

J.R. Bottema

Groningen, 15 december, 1982